

Tree Seq	Common name	Conditions	Recommendations	Priority
1	Wild cherry	Physiological Condition Good Structural Condition Fair Branch wound - from heavy pruning on roadside Crown low over footpath Damage to exposed roots Restricted rooting area - fire hydrant within rooting area and service runs within adjacent pavement Fungus present at base - small fruiting body not considered significant at present.	Raise to 2.4 metres	Desirable - 3 months
2	Wild cherry	Physiological Condition Good Structural Condition Fair Crown near overhead cables Basal epicormics Previous work - previously reduced away from wires and road Damage to exposed roots Restricted rooting area Fungus present at base - likely small bracket of 'hen of the woods'-grifola frondosa Root runs Compression Fork - at main crown break at 2m	No work required	No Work Required
3	Wild cherry	Physiological Condition Good Structural Condition Fair Crown low over footpath - and drive entrance Crown near overhead cables Previous work - previously reduced away from wires Damage to exposed roots	Raise to 2.4 metres	Desirable - 3 months

Tree Seq	Common name	Conditions	Recommendations	Priority
4	Wild cherry	Physiological Condition Good Structural Condition Fair Crown low over footpath Crown low over the road Previous work - previously reduced Restricted rooting area Fungus present at base - pholiota squarrosa and ganoderma. not considered significant at present. Root runs - causing pavement cracking and lifting Compression Fork - tight unions at main crown break Main branches damaged by traffic - historic branch tearout Minor branches damaged by traffic - 1 branch over road has been damaged by traffic	Option 2 - fell and replace due to footpath damage and future structural concerns related to fungal infections Raise to 2.4 metres - over path and adjacent garden Raise to 5 metres - over the road	Desirable - 3 months
5	Wild cherry	Physiological Condition Fair Structural Condition Fair Branch over extended - crown unbalanced and dominant to the east Dead Branch(es) - large dead branch extending to the west Crown density low	Option 2 - fell and replace Reduce crown diameter - reduce remaining crown by 3m Remove branch - remove large dead branch	Desirable - 3 months
6	Wild cherry	Physiological Condition Good Structural Condition Fair Fungus on trunk - unidentified Crown overhanging garden - large low limb over garden has minor damage to underside Formerly topped Damage to exposed roots Main branches damaged by traffic Trunk leaning - toward garden. lowest branch is potential hazard to footpath users as at head height.	Crown reduction - reduce crown over garden side by 1-2m and height by 1m Option 2 - fell and replace	Desirable - 3 months

---

Tree Seq	Common name	Conditions	Recommendations	Priority
----------	-------------	------------	-----------------	----------

**Notes:-**

Before any work is carried out, Norfolk County Council recommends that an assessment is made by the tree contractor or land owners as to whether there is the potential for the tree or the part of the tree affected to be used by nesting birds or a European Protected Species, particularly bats. If birds nests are present, work must cease until the chicks have fledged. If bats are found, call the Emergency bat helpline immediately (03451 300228).

All tree surgery is to be in accordance with BS3998 and currently accepted arboricultural practices.

Where reduction is specified, reduce and shape the canopy by pruning branch tips back to alternative growing points. Lateral branches being removed should be pruned back to a side branch which has a diameter not less than 30% of the diameter of the part being removed, to leave the form of the tree as natural as possible.

These trees are not in a Conservation Area, nor covered by a Tree Preservation Order.

Contact Iestyn Griffith (Arboricultural and Woodland Officer) 01603 222764/07825 903093 for any further details or clarification.


**Overall total:** 6 trees -



**Cornish Avenue, Trunch. - Tree report by Iestyn Griffith**

Tree report by Iestyn Griffith - Cornish Avenue, Trunch.

Scale	Unknown
Date	20/10/2020



This map is based upon Ordnance Survey material with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. ©Crown copyright. Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings. Norfolk County Council. Licence No:10001932009